

fax



To: United States Patent & Trademark
Office

Company:

Fax: (703) 872-9306

Date: March 15, 2005

From: HOSPIRA, INC.

Tel: 224-212-2889

Fax: 224-212-2088

No. of Pages: 2

RECEIVED
CENTRAL FAX CENTER
MAR 15 2005

**RE: US Serial No. 10/763/549
Filed on January 23, 2004
STATUS CHECK**

THIS TRANSMISSION IS INTENDED ONLY FOR THE RECIPIENT(S) ADDRESSED ABOVE

It may contain confidential information, attorney work product, inside information, or other privileged material. If you are not the intended recipient, or an employee or agent responsible for delivering this message to the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this transmission is strictly prohibited. If you have received this transmission in error, please notify us immediately by telephone at (224) 212-2069 and destroy this communication and all copies thereof, including all attachments.

Hospira, Inc.
275 North Field Drive
Dept. NLEG, Bldg. H-1
Lake Forest, IL 60045
www.hospira.com

MAR 15 2005

Practitioner's Docket No. 6882USD1

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Steven T. Cho, et al.

Application No.: 10/763,549

Group No.: 1723

Filed: 01/23/2004

Examiner: Not Yet Assigned


For: MICRO-FLUIDIC ANTI-MICROBIAL FILTER

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

STATUS INQUIRY

1. More than twelve months have passed since the filing of this application on January 23, 2004. No communication has been received from the Patent and Trademark Office indicating action on this application.
2. Kindly advise the undersigned of the present status of this application, by checking the appropriate box on the next page. Please send response via facsimile at (224) 212-2088.

Customer No. 41155
Hospira, Inc.
NLEG, H-1
275 N. Field Drive
Lake Forest, IL 60045
224-212-2088


Michael R. Crabb
Registration No. 37,298


CERTIFICATION UNDER 37 C.F.R. §§ 1.8(a) and 1.10*

(When using Express Mail, the Express Mail label number is mandatory;
Express Mail certification is optional.)

I hereby certify that, on the date shown below, this correspondence is being:

TRANSMISSION

☒ Facsimile transmitted to the Patent and Trademark Office, (703) 872 - 9306.


Signature

Date: 3/15/05

Julie Freeman
(type or print name of person certifying)

* Only the date of filing (3 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under 3 1.8 continues to be taken into account in determining timeliness. See 3 1.703(f). Consider "Express Mail Post Office to Addressee" (3 1.10) or facsimile transmission (3 1.6(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.